



YUXIANG

www.magnet-tech.com

China Professional Ferrite Core Supplier

RH TYPE



DIMENSIONS 2

NO.	TYPE	Di		
		AΦ	CΦ	D
16	RH 3.5x1.5x4	3.50 ±0.20	1.50 ±0.10	4.00 ±0.20
17	RH 3.5x1.5x6	3.50 ±0.20	1.50 ±0.10	6.00 ±0.20
18	RH 3.5x1.8x2	3.50 ±0.20	1.80 ±0.10	2.00 ±0.20
19	RH 3.5x1.8x5	3.50 ±0.20	1.80 ±0.10	5.00 ±0.20
20	RH 4x1.0x15	4.00 ±0.20	1.00 ±0.10	15.0 ±0.30
21	RH 4x1.2x10	4.00 ±0.20	1.20 ±0.10	10.0 ±0.30
22	RH 4x1.5x3	4.00 ±0.20	1.50 ±0.10	3.00 ±0.20
23	RH 4x1.8x5	4.00 ±0.20	1.80 ±0.10	5.00 ±0.20
24	RH 4x2x5	4.00 ±0.20	2.00 ±0.20	5.00 ±0.20

25	RH 4x2x10	4.00 ±0.20	2.00 ±0.20	10.0 ±0.30
26	RH 4x2x15	4.00 ±0.20	2.00 ±0.20	15.0 ±0.30
27	RH 4.5x1.3x7	4.50 ±0.20	1.30 ±0.10	7.00 ±0.20
28	RH 4.5x1.5x5	4.50 ±0.20	1.50 ±0.10	5.00 ±0.20
29	RH 4.5x2.5x7	4.50 ±0.20	2.50 ±0.20	7.00 ±0.20
30	RH 4.75x2.7x19	4.75 ±0.20	2.70 ±0.20	19.0 ±0.30
31	RH 4.95x1.15x6	4.95 ±0.20	1.15 ±0.10	6.00 ±0.20
32	RH 4.95x1.35x6	4.95 ±0.20	1.35 ±0.10	6.00 ±0.20
33	RH 5x1.6x8	5.00 ±0.20	1.60 ±0.10	8.00 ±0.20
34	RH 5x2.4x5	5.00 ±0.20	2.40 ±0.10	5.00 ±0.20
35	RH 5x2.3x12.7	5.00 ±0.20	2.30 ±0.20	12.7 ±0.30
36	RH 5x2.4x10	5.00 ±0.20	2.40 ±0.20	10.0 ±0.30
37	RH 5.3x4.6x9.5	5.30 ±0.20	4.60 ±0.20	9.50 ±0.30
38	RH 5.95x1x10	5.95 ±0.20	1.00 ±0.10	10.0 ±0.30
39	RH 5.95x2.15x10	5.95 ±0.20	2.15 ±0.20	10.0 ±0.30
40	RH 6x1x6	6.00 ±0.20	1.00 ±0.10	6.00 ±0.30
41	RH 6x3x10	6.00 ±0.20	3.00 ±0.20	10.0 ±0.30
42	RH 6x3x15	6.00 ±0.20	3.00 ±0.20	15.0 ±0.30
43	RH 6x3x25	6.00 ±0.20	3.00 ±0.20	25.0 ±0.50
44	RH 6.35x3.3x15.8	6.35 ±0.20	3.30 ±0.20	15.8 ±0.30
45	RH 6.4x3.08x12.7	6.40 ±0.20	3.08 ±0.20	12.7 ±0.30
46	RH 6.4x3x3.9	6.40 ±0.20	3.00 ±0.20	3.90 ±0.20
47	RH 6.5x3.3x9.5	6.50 ±0.20	3.30 ±0.20	9.50 ±0.30
48	RH 6.5x4.3x10	6.50 ±0.20	4.30 ±0.20	10.0 ±0.30
49	RH 7x5.3x9.5	7.00 ±0.20	5.30 ±0.20	9.50 ±0.30
50	RH 7.4x3x16.5	7.40 ±0.20	3.00 ±0.20	16.5 ±0.30
51	RH 7.52x2.39x7.54	7.52 ±0.20	2.39 ±0.20	7.54 ±0.20
52	RH 7.52x2.6x8	7.52 ±0.20	2.60 ±0.20	8.00 ±0.20
54	RH 7.8x4x12.7	7.80 ±0.20	4.00 ±0.20	12.7 ±0.30
55	RH 7.8x3x10	7.80 ±0.20	3.00 ±0.20	10.0 ±0.30
56	RH 7.8x3x19	7.80 ±0.20	3.00 ±0.20	19.0 ±0.30
57	RH 7.8x4.2x12.7	7.80 ±0.20	4.20 ±0.20	12.7 ±0.30
58	RH7.8x4.2x28.5	7.80 ±0.20	4.20 ±0.20	28.5 ±0.50
59	RH 7.8x4.2x9	7.80 ±0.20	4.20 ±0.20	9.00 ±0.30
60	RH 7.8x5.3x15.8	7.80 ±0.20	5.30 ±0.20	15.8 ±0.30
61	RH 7.9x3x10	7.90 ±0.20	3.00 ±0.20	10.0 ±0.30
62	RH 8x3.5x30	8.00±0.20	3.50 ±0.20	30.0 ±0.60
63	RH 8x3.6x20	8.00 ±0.20	3.60 ±0.20	20.0 ±0.40
64	RH 8x4x13	8.00 ±0.20	4.00 ±0.20	13.0 ±0.30
65	RH 8x5.6x12.7	8.00 ±0.20	5.60 ±0.20	12.7 ±0.30
66	RH 8x5.8x10	8.00 ±0.20	5.80 ±0.20	10.0 ±0.30
67	RH 8.6x6.5x9	8.60 ±0.20	6.50 ±0.20	9.00 ±0.30
68	RH 9x4.5x10	9.00 ±0.20	4.50 ±0.20	10.0 ±0.30

69	RH 9x4x11.5	9.00 ±0.20	4.00 ±0.20	11.5 ±0.30
70	RH 9x5x29	9.00 ±0.20	5.00 ±0.20	29.0 ±0.50
71	RH 9.3x4x20	9.30 ±0.20	4.00 ±0.20	20.0 ±0.40
72	RH 9.3x5.2x11	9.30 ±0.20	5.20 ±0.20	11.0 ±0.30
73	RH 9.52x5.8x11	9.30 ±0.20	5.80 ±0.20	11.0 ±0.30
74	RH 9.5x2.8x20.95	9.52 ±0.20	2.80 ±0.20	20.95 ±0.40
75	RH 9.5x4.8x19	9.50 ±0.20	4.80 ±0.20	19.0 ±0.30
76	RH 9.5x4.8x28.4	9.50 ±0.20	4.80 ±0.20	28.4 ±0.50
77	RH 9.5x5x19.5	9.50 ±0.20	5.00 ±0.20	19.5 ±0.30
78	RH 9.5x5x28.5	9.50 ±0.20	5.00 ±0.20	28.5 ±0.50
79	RH 9.5x5.2x9.5	9.50 ±0.20	5.20 ±0.20	9.5 ±0.30
80	RH 9.5x5.5x19.5	9.50 ±0.20	5.50 ±0.20	19.5 ±0.30
81	RH 9.5x5.5x28.5	9.50 ±0.20	5.50 ±0.20	28.5 ±0.50
82	RH 9.5x7.1x7.5	9.50 ±0.20	7.10 ±0.20	7.50 ±0.30
83	RH 9.66x3.8x10.8	9.66 ±0.20	3.80 ±0.20	10.8 ±0.30
84	RH 9.8x1.0x15	9.80 ±0.20	1.00 ±0.20	15.0 ±0.30

Copyright 2005 YUXIANG Magnetic Materials Ind. Co.,Ltd.All Rights Reserved.

Add:F16, Jinyuan plaza, # 57 South hubin, Xiamen, 361004 China.

Tel : (86)592 2295387 (86)592 2217138 Fax: (86)592 2207122

Email : magnetcom@gmail.com sales@magnet-tech.com